

Part Number: PANG 103395-434




Electrical Specifications:

Resistance @ 25°C	10kΩ ± 2%
Temperature Coefficient of Resistance	-4.40 % / °C
Operating Temperature Range	-40°C to + 250°C
Dissipation Constant	3.0 mW/°C
Thermal Time Constant	6 seconds
Material Constant (Beta)	3950°K ± 1%
MSL (moisture sensitivity level)	#2

Mechanical Specifications:

A	1.5mm ±0.2mm
B	4.0mm ±0.5mm
Lead Diameter	24 AWG (0.5 mm)
C	230mm ±2.0mm
D	4.5mm nom

Rev:	Date:	Changes Made:
0	10/4/16	Issue

DRAWN BY: C. Terry		 AMETHERM <i>Circuit Protection Thermistors</i>
DATE: 10/4/16	REV: 0	
ORIG. M Samii	APPR: M Samii	NTC THERMISTOR PROBE
SHEET 1 of 2		PANG 103395

RESISTANCE VS TEMPERATURE CURVE

Temp. (°C)	Rt / R25 Nominal	Temp. Coef (% / °C)
-40	31.44855	6.46
-35	22.89318	6.25
-30	16.83443	6.05
-25	12.49793	5.87
-20	9.36276	5.69
-15	7.07441	5.52
-10	5.38899	5.37
-5	4.13692	5.21
0	3.19916	5.01
5	2.49993	4.86
10	1.96799	4.72
15	1.56013	4.58
20	1.24509	4.45
25	1.00000	4.32
30	0.80804	4.21
35	0.65672	4.09
40	0.53670	3.98
45	0.44094	3.88
50	0.36410	3.78
55	0.30218	3.68
60	0.25201	3.59
65	0.21114	3.49
70	0.17769	3.41
75	0.15017	3.32
80	0.12743	3.24
85	0.10856	3.17
90	0.09283	3.09
95	0.07967	3.02
100	0.06862	2.95

Temp. (°C)	Rt / R25 Nominal	Temp. Coef (% / °C)
105	0.05931	2.88
110	0.05143	2.82
115	0.04475	2.75
120	0.03907	2.69
125	0.03421	2.63
130	0.03004	2.57
135	0.02646	2.51
140	0.02337	2.46
145	0.02069	2.41
150	0.01837	2.38
155	0.01633	2.32
160	0.01456	2.27
165	0.01301	2.22
170	0.01166	2.17
175	0.01047	2.12
180	0.00943	2.08
185	0.00851	2.03
190	0.00769	1.99
195	0.00697	1.95
200	0.00633	1.93
205	0.00575	1.90
210	0.00524	1.86
215	0.00478	1.82
220	0.00437	1.79
225	0.00400	1.75
230	0.00366	1.72
235	0.00336	1.69
240	0.00309	1.66
245	0.00285	1.63
250	0.00263	1.60

DRAWN BY: C. Terry

DATE: 10/4/16

REV: 0

ORIG. M Samii

APPR: M Samii

SHEET 2 of 2

AMETHERM
Circuit Protection Thermistors

NTC THERMISTOR PROBE

PANG 103395